

BF1337-XXX

STANDARD: T2 Thermostatic Shower System

SPÉCIFICATIONS



Components included

- BF1387-XXX*- Rainhead with 90° wall arm
- 104336-XXX*: 2-jet handshower (2 direct positions and 1 shared position)
- 103577-110: Wallbar
- 101620-XXX*: 60" flexible and soft PVC hose
- BF1300-110: AQUATONIK™ type T/P 1/2" valve and decorative trim
- BF1303-110: 1/2" Volume control valve and decorative trim
- 102347-110: Wall outlet with volume control
- * XXX means that the finish color must be specified.

Colors (Finishes)

- Chrome: BF1337-**110**
- Chrome and black: BF1337-150

Certifications

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





BF1387

STANDARD: Rainhead and 90° Wallarm

SPECIFICATIONS

Features

- Male water inlet 1/2NPT on wall arm
- Female water inlet G1/2 on rainhead
- Rainhead diameter of 200 mm (7 7/8")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel

Colors (Finishes)

Chrome: BF1387-110

• Black and Chrome: BF1387-150

Packaging

• **Dimensions**: 435 mm x 320 mm x 144 mm (17 1/8" x 12 1/2" x 5 1/2")

Volume: 0.68 cu ft (0.02000 cu m)

Total weight: 2.45 lb (1.12 kg)

Maximum flow rate

• 15 liters/min. (4 gallons/min.) at 80 psi

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com



104336

STANDARD: 2-Jet Handshower

SPECIFICATIONS

Features

Dimension: 120 mm (4 3/4")
Anti-scale system with soft sprays

• Male water inlet G1/2

• 2 direct positions and 1 shared position

Colors (Finishes)

• Chrome: 104336-110

Black and Chrome: 104336-150

Packaging

• **Dimensions**: 290 mm x 130 mm x 40 mm (11 3/8" x 5" x 1 1/2")

Volume: 0.05 cu ft (0.002 cu m)
 Total weight: 0.50 lb (0.24 kg)

Maximum flow rate

• 11.4 liters/min. (3 gallons/min.) at 80 psi

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com f ② ♯ 描



103577

Wallbar for handshower

SPECIFICATIONS

Features

- Total height of 742 mm (30")
- Easy-to-use gliding system
- · Locking system

Colors (Finishes)

• Chrome: 103577-**110**

Packaging

- **Dimensions**: 798 mm x 205 mm x 89 mm (31 1/2" x 8" x 3 1/2")
- **Volume**: 0.27 cu ft (0.010 cu m)
- **Total weight**: 1.9 lb (0.86 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f ② ♯



BF1300

AQUATONIKTM type T/P 1/2" valve and decorative trim

SPECIFICATIONS

Features

- Solid brass construction
- · No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

ICC A117.1

Colors (Finishes)

• Chrome: BF1300-**110**

Packaging

• **Dimensions**: 370 mm x 190 mm x 205 mm

 $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$

Volume: 0.014 cu m (0.51 cu ft)
 Total weight: 2.35 kg (5.18 lb)

Maximum flow rate

• 30 liters/min. (7.9 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089 KaliaStyle.com



BF1303

1/2" Volume Control Valve and Decorative Trim

SPECIFICATIONS

Features

- No visible screw
- Female water inlet 1/2NPT threaded
- · Solid brass construction

Colors (Finishes)

• Chrome: BF1303-110

Packaging

• **Dimensions**: 305 mm x 117 mm x 92 mm (12" x 4 5/8" x 3 5/8")

Volume: 0.12 cu ft (0.003 cu m)
 Total weight: 1.71 lb (0.78 kg)

Certifications

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1






Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2º Rue, Parc industriel Sainte-Marie (Québec) Canada G6E 1G9

T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418 -87-9089

KaliaStyle.com



102347

Wall Outlet with Volume Control

SPECIFICATIONS

Features

- Water 1/2" female inlet NPT
- Water G1/2 male oulet
- Cartridge 3/4 with ceramic disc
- · Solid brass construction
- · Check valve included
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

• Chrome: 102347-110

Brushed Nickel PVD: 102347-120

Packaging

• **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")

Volume: 0.12 cu ft (0.003 cu m)
 Total weight: 0.75 lb (0.34 kg)



Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9 t. **1-418-387-9090 1 877 GO KALIA** (1-877-465-2542) f. 1-418-387-9089 www.KaliaStyle.com