



## T&S BRASS AND BRONZE WORKS, INC. 2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3132-VF05-HG

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

Travelers Rest, SC: 800-476-4103 • Simi valle	<i>,</i>	00-423-0130 ° Tax. 004-03	
	ITEM NO.	SALES NO.	DESCRIPTION
	1	B-0199-08-N05	0.5 GPM VR Spray Device, 13/16-27 Male
	2	019087-45	6VDC Lithium Battery, CR-P2
	3	019088-45	Auxiliary Power Connector Cable
	4	018544-45	SS Flex Hose w/ Check Valve Adapter
	5	5EF-0002	Plug-In A/C Transformer
	6	019082-45	Lever Asm & Body Screw Kit w/ L-Key
	7	EC-HYDROGEN-LF	Low Flow Hydro-Generator
	8	017506-45	1/2" NPSM Swivel Coupling
	9 70	019086-45	Body Plug, Pre-Set Temperature Lithium Ion-Metal Battery Sticker
	ocated Behind the Sensor. witches. LT position: nds d		
<ul> <li>Available Water Flow Control Selections:</li> <li>Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min</li> <li>Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec</li> <li>Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF</li> </ul>			
			015425-45 018543-45 Aerator Key Torx T-20 VR L-Key
Product Specifications:			Product Compliance:
Chrome Plated Brass Above Deck Electronics Faucet, Single Hole Dec Mount, Cast Spout w/ 0.5 GPM VR Non-Aerated Spray Device, Point-o Temperature Control, Hydro-Generator Powered, 19" Flexible Stainless Supply Hoses & 3/8" Compression Inlets			Use   NSF 61 - Section 9
Drawn: DMH Checked: GEF	Approve	ed: JHB Date: 1	2/05/18  Scale: NTS  Sheet: 2 of 2